

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S21	351	SUB1 same conduct\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 21:30
S25	1983	elastic\$4 same deform\$8 same conductor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:14
S26	1304	S25 and elastic\$4 with conductor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 21:57
S27	491	S25 and elastic\$4 near3 conductor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 21:58
S28	252	S25 and elastic\$4 near3 conductor near3 deform\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 22:00
S29	7	S28 and light near (guide plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 21:58
S30	10	("4367467"   "4772100"   "4789224"   "4832455"   "4945350"   "5046826"   "5477423"   "5485291"   "5485354"   "5489999").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/05 22:00
S34	808	S25 and conductor same (flexible elastic deform\$8) same (material ((form\$4 made) adj of))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 22:02
S35	7	S34 and light adj (guide plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 22:04
S40	6	("5774199").URPN.	USPAT	OR	ON	2005/09/05 22:12
S41	19	"349"/\$.ccls. and wiring near2 circuit near2 board same flexible near2 circuit near2 board	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:48
S42	47872	(flexible deform\$8) near3 (conductor terminal electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:44

S43	10	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:11
S44	1983	elastic\$4 same deform\$8 same conductor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:14
S45	8	S44 and "349"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:27
S46	15	shinojima-kazumoto.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:40
S52	17	"349"/\$.ccls. and incline and (elastic\$4 deform\$8) with (conductor electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:42
S53	58041	(flexible deform\$8 elastic\$6) near3 (conductor terminal electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:45
S57	331	wiring near2 circuit near2 board same flexible near2 circuit near2 board	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:48
S59	3436	light near2 plate and cathode near2 tube	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:49
S61	76	S53 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 23:50
S62	4	S53 and S57 and cathode with tube	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:15
S64	2	yumibe-george.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:27
S65	9	("5466161").URPN.	USPAT	OR	ON	2005/09/06 00:22
S68	65	"4927369"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:29

S70	61	"4161346"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:29
S71	6	S70 and light	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:33
S72	67	"5199889"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:33
S73	10	S72 and (light optic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:35
S74	4463	spring with (conduct\$4 inter\$connect\$4) same circuit near board	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:36
S75	474	S74 and optic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:36
S76	2680	spring near5 (conduct\$4 inter\$connect\$4) same circuit near board	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:41
S77	319	S76 and optic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:36
S78	11	S77 and light near3 plate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:37
S79	197	light near2 guide near2 plate and incline	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 00:50
S80	74	light near2 guide near2 plate and incline	US-PGPUB; USPAT; EPO	OR	ON	2005/09/06 00:49
S81	198	light with guide with plate and incline	US-PGPUB; USPAT; EPO	OR	ON	2005/09/06 00:50
S82	16569	circuit near board with flexible	US-PGPUB; USPAT; EPO	OR	ON	2005/09/06 00:50

S83	7	S82 and S81	US-PGPUB; USPAT; EPO	OR	ON	2005/09/06 00:50
-----	---	-------------	----------------------------	----	----	------------------